

GPE 6

GPE6 SERIES RETAIL HANGING SCALES



Stainless steel retail hanging scales, ideal instrument where water and salt make the work environment particularly aggressive.

MAIN FEATURES

- Dual alphanumeric backlit white LCD display, on operator and client side. The backlight function can be removed.
- Fast, accurate, and waterproof keyboard, with 66 keys including 33 functional keys and 33 easily configurable for PLU's, TLU's and 6 additional operators.
- Thermal printer speed of 80 mm/sec for normal thermal paper or for Linerless adhesive with paper 57 mm wide, and outer diameter max. 50 mm.

Print width of up to 48 mm.

- System for easily loading the paper.
- Stainless steel structure.
- Large-sized plate in stainless steel.
- Power 230 Vac, with AC/DC external adapter and built-in rechargeable battery.

FUNCTIONS


- Database of 3000 PLU's, 66 with direct access.
- 50 PLU groups.
- 600 ingredient lists.
- 9 VAT rates.
- 10 advertisement messages.
- Queue-system.
- 8 programmable payment modes.
- 2 kinds of short and long term totals
- 20 operators, including 8 direct.
- 3 programmable password levels.
- Single item.
- PLU priority.
- Weighing tare, operator tare, PLU's tare, pre-stored and configurable tare.
- Reopening of the last tickets, discounts, rebates, cash management, customer management.
- Prints logos, EAN13 and EAN8 barcodes, dynamic QR codes.
- Management of logos and firmware with the HLL (Helmac Label Loader) software downloadable from the web site.

I/O SECTIONS

- 2 RS232 interfaces for connection to: PC, modem, scanner, Helmac cash register.
- RS485 for connection with up to n° 4 GPE scales in a local network.


INFORMATION

Available upon request





DETAIL 1



Dimensions in mm weight: 15,0 Kg







www.helmac.com



HEAD OFFICE

Via della Fisica, 18 41042 Spezzano di Fiorano (MO) - Italy Tel.: +39 0536 070960

WAREHOUSE

Via della Fisica, 15 41042 Spezzano di Fiorano (MO) - Italy

SALES AND	TECHNICAL	ASSISTANCE	SERVICE