



A RICE LAKE WEIGHING SYSTEMS COMPANY

## GP1PLUS

### GP1 PLUS SERIES SUPERMARKET SCALES



Bench price computing scales with die-cast aluminium base and double waterproof keyboard. Suitable for labelling pre-packaged products.

**Scales and solutions for retail**



## MAIN FEATURES

- Dual display (operator and customer side) 10.1 inch TFT, LED backlit, Resolution 1280 x 800 pixels
- Double waterproof keyboard consisting of 105 mechanical keys, 70 of which are for direct PLU recall. 10 operators. PC-based operating system.
- Thermal labeller with 8dots/mm resolution, ideal for labelling pre-packaged products.
- Print width up to 55mm.
- Maximum speed 150 mm/s.
- Max. roll width 60mm, outer diameter 110mm.
- Easy roll replacement, by means of a opening door.
- 370x310mm (WxW) stainless steel plate.
- 230Vac power supply.

## FUNCTIONS

- Working mode: receipt, labeling and single item.
- Sales statistics (also with graphics): operators, timetables, groups, PLUs and traceability.
- Time-limited advertising management with videos and images.
- Queue-eliminator connectable to DG-Shop monitors.
- Management of limited time offers or customer promotions that can be linked to ESL.
- Printing and management of allergens and nutritional info.
- EAN-13, GS1-128 barcodes, dynamic QR Codes printing.
- Activation of different price lists during the sale.
- Change of label and logo layout during the sale.
- Logos management and firmware maintenance with HLL PRO (Helmec Label Loader) software, downloadable from the site.
- New features to ensure maximum work efficiency.
- Our scales are compatible with the main back-office systems.

## INFORMATION

- Available upon request:



- Approval:





---

YOUR  
**WORLDWIDE**  
PARTNER

**FOR RETAIL  
SOLUTIONS**

---



[www.helmac.com](http://www.helmac.com)



**HEAD OFFICE**

Via della Fisica, 18  
41042 Spezzano di Fiorano (MO) • Italy  
Tel.: +39 0536 070960

**WAREHOUSE**

Via della Fisica, 15  
41042 Spezzano di Fiorano (MO) • Italy

*SALES AND TECHNICAL ASSISTANCE SERVICE*